



**Recent references from ZetaCAD end-users**

**Membranes-Filters**

---

**Surfaces-Coatings-Films**

---

**Textile**

---

**Minerals-Geology**

---

## Membranes-Filters

---

1. Ahmad, A. L., Mat Yasin, N. H., Derek, C. J. C. & Lim, J. K. Harvesting of microalgal biomass using MF membrane: Kinetic model, CDE model and extended DLVO theory. *J. Memb. Sci.* **446**, 341–349 (2013).
2. Ahmad, A. L., Mat Yasin, N. H., Derek, C. J. C. & Lim, J. K. Chemical cleaning of a cross-flow microfiltration membrane fouled by microalgal biomass. *J. Taiwan Inst. Chem. Eng.* **null**, (2013).
3. Dussaud, A., Breen, P. & Koczko, K. Characterization of the deposition of silicone copolymers on keratin fibers by streaming potential measurements. *Colloids Surfaces A Physicochem. Eng. Asp.* **434**, 102–109 (2013).
4. Fargues, C., Sagne, C., Szymczyk, A., Fievet, P. & Lameloise, M.-L. Adsorption of small organic solutes from beet distillery condensates on reverse-osmosis membranes: Consequences on the process performances. *J. Memb. Sci.* **446**, 132–144 (2013).
5. Heffernan, R. *et al.* Disinfection of a polyamide nanofiltration membrane using ethanol. *J. Memb. Sci.* **448**, 170–179 (2013).
6. Muppalla, R., Rana, H. H., Devi, S. & Jewrajka, S. K. Adsorption of pH-responsive amphiphilic copolymer micelles and gel on membrane surface as an approach for antifouling coating. *Appl. Surf. Sci.* **268**, 355–367 (2013).
7. Parashuram, K. *et al.* Tailoring the molecular weight cut off values of polyacrylonitrile based hollow fibre ultrafiltration membranes with improved fouling resistance by chemical modification. *J. Memb. Sci.* **425-426**, 251–261 (2013).
8. Singh, P. S. *et al.* RO membrane treatment of domestic grey-water containing different detergent types. *Desalin. Water Treat.* 1–8 (2013). doi:10.1080/19443994.2013.808393
9. Déon, S., Fievet, P. & Osman Doubad, C. Tangential streaming potential/current measurements for the characterization of composite membranes. *J. Memb. Sci.* **423-424**, 413–421 (2012).
10. Lanteri, Y. *et al.* Electrokinetic characterization of hollow fibers by streaming current, streaming potential and electric conductance. *J. Memb. Sci.* **411-412**, 193–200 (2012).
11. Picot, M. *et al.* A versatile route to modify polyethersulfone membranes by chemical reduction of aryldiazonium salts. *J. Memb. Sci.* **417-418**, 131–136 (2012).
12. Singh, P. S., Parashuram, K., Maurya, S., Ray, P. & Reddy, A. V. R. Structure-performance-fouling studies of polysulfone microfiltration hollow fibre membranes. *Bull. Mater. Sci.* **35**, 817–822 (2012).
13. Singh, P. S., Ray, P., Kallem, P., Maurya, S. & Trivedi, G. S. Structure and performance of nanofiltration membrane prepared in a large-scale at CSIR-CSMCRI using indigenous coating unit. *Desalination* **288**, 8–15 (2012).
14. Indok Nurul Hasyimah, M. A., Mohammad, A. W. & Markom, M. Influence of Triglycerides on Fouling of Glycerol–Water with Ultrafiltration Membranes. *Ind. Eng. Chem. Res.* **50**, 7520–7526 (2011).
15. Xie, Z. *et al.* Effect of Membrane Properties on Performance of Membrane Distillation for Ammonia Removal. *J. Mater. Sci. Res.* **1**, p37 (2011).

16. Egueh, A.-N. D., Lakard, B., Fievet, P., Lakard, S. & Buron, C. Charge properties of membranes modified by multilayer polyelectrolyte adsorption. *J. Colloid Interface Sci.* **344**, 221–7 (2010).
17. Szymczyk, A., Fievet, P. & Bandini, S. On the amphoteric behavior of Desal DK nanofiltration membranes at low salt concentrations. *J. Memb. Sci.* **355**, 60–68 (2010).
18. Contreras, A. E., Kim, A. & Li, Q. Combined fouling of nanofiltration membranes: Mechanisms and effect of organic matter. *J. Memb. Sci.* **327**, 87–95 (2009).
19. Zodrow, K. *et al.* Polysulfone ultrafiltration membranes impregnated with silver nanoparticles show improved biofouling resistance and virus removal. *Water Res.* **43**, 715–23 (2009).
20. Vaquette, C. *et al.* Zeta-potential and morphology of electrospun nano- and microfibers from biopolymers and their blends used as scaffolds in tissue engineering. *Mendeleev Commun.* **18**, 38–41 (2008).
21. Harrison, C. J., Le Gouellec, Y. A., Cheng, R. C. & Childress, A. Bench-Scale Testing of Nanofiltration for Seawater Desalination. *J. Environ. Eng.* **133**, 1004–1014 (2007).
22. Brand, J. H. J., Johnson, K. & Childress, A. Examining the electrochemical properties of a nanofiltration membrane with atomic force microscopy. *J. Memb. Sci.* **276**, 286–294 (2006).
23. Tarabara, V. V, Koyuncu, I. & Wiesner, M. R. Effect of hydrodynamics and solution ionic strength on permeate flux in cross-flow filtration: direct experimental observation of filter cake cross-sections. *J. Memb. Sci.* **241**, 65–78 (2004).
24. Fievet, P., Sbaï, M., Szymczyk, A. & Vidonne, A. Determining the  $\zeta$ -potential of plane membranes from tangential streaming potential measurements: effect of the membrane body conductance. *J. Memb. Sci.* **226**, 227–236 (2003).
25. Sbaï, M. *et al.* Influence of the Membrane Pore Conductance on Tangential Streaming Potential. *Langmuir* **19**, 8867–8871 (2003).
26. Labbez, C. *et al.* A comparison of membrane charge of a low nanofiltration ceramic membrane determined from ionic retention and tangential streaming potential measurements. *Desalination* **147**, 223–229 (2002).

## Surfaces-Coatings-Films

---

27. Siretanu, I., Chapel, J.-P., Bastos-González, D. & Drummond, C. Ions-Induced Nanostructuration: Effect of Specific Ionic Adsorption on Hydrophobic Polymer Surfaces. *J. Phys. Chem. B* **117**, 6814–6822 (2013).
28. Jewrajka, S. K. *et al.* Use of 2,4,6-pyridinetricarboxylic acid chloride as a novel co-monomer for the preparation of thin film composite polyamide membrane with improved bacterial resistance. *J. Memb. Sci.* **439**, 87–95 (2013).
29. Ball, V. *et al.* Multilayer films made from poly(allylamine) and phosphorous containing polyoxometalates: Focus on the zeta potential. *J. Colloid Interface Sci.* **409**, 166–73 (2013).
30. Low, S. C. *et al.* Electrophoretic interactions between nitrocellulose membranes and proteins: Biointerface analysis and protein adhesion properties. *Colloids Surfaces B Biointerfaces* **110**, 248–253 (2013).
31. Ball, V. *et al.* Comparison of synthetic dopamine-eumelanin formed in the presence of oxygen and Cu<sup>2+</sup> cations as oxidants. *Langmuir* **29**, 12754–61 (2013).
32. Vrlnic, T. *et al.* How to control the recombinant prion protein adhesion for successful storage through modification of surface properties. *Biointerphases* **7**, 66 (2012).
33. Petersen, J. *et al.* Atmospheric plasma polymer films as templates for inorganic synthesis to yield functional hybrid coatings. *RSC Adv.* **2**, 9860 (2012).
34. Chaubaroux, C. *et al.* Collagen-based fibrillar multilayer films cross-linked by a natural agent. *Biomacromolecules* **13**, 2128–35 (2012).
35. Lefort, M. Dépôt de films minces par pulvérisation simultanée de composés organiques en interactions électrostatiques. 222 (2011).
36. Farrell, M. & Beaudoin, S. Surface forces and protein adsorption on dextran- and polyethylene glycol-modified polydimethylsiloxane. *Colloids Surf. B. Biointerfaces* **81**, 468–75 (2010).
37. Solovitch, N. *et al.* Concurrent Aggregation and Deposition of TiO<sub>2</sub> Nanoparticles in a Sandy Porous Media. *Environ. Sci. Technol.* **44**, 4897–4902 (2010).
38. Bernsmann, F., Frisch, B., Ringwald, C. & Ball, V. Protein adsorption on dopamine-melanin films: role of electrostatic interactions inferred from zeta-potential measurements versus chemisorption. *J. Colloid Interface Sci.* **344**, 54–60 (2010).
39. Ball, V. Impedance spectroscopy and zeta potential titration of dopa-melanin films produced by oxidation of dopamine. *Colloids Surfaces A Physicochem. Eng. Asp.* **363**, 92–97 (2010).
40. Popa, I., Gillies, G., Papastavrou, G. & Borkovec, M. Attractive and Repulsive Electrostatic Forces between Positively Charged Latex Particles in the Presence of Anionic Linear Polyelectrolytes. *J. Phys. Chem. B* **114**, 3170–3177 (2010).
41. Lichter, J. A. Assembly and Post-Assembly Manipulation of Polyelectrolyte Multilayers for Control of Bacterial Attachment and Viability. 154 (2009).
42. Eichenlaub, S., Kumar, G. & Beaudoin, S. A modeling approach to describe the adhesion of rough, asymmetric particles to surfaces. *J. Colloid Interface Sci.* **299**, 656–64 (2006).

## Textile

---

43. Kerkeni, A., Behary, N., Dhulster, P., Chihib, N.-E. & Perwuelz, A. Study on the effect of plasma treatment of woven polyester fabrics with respect to nisin adsorption and antibacterial activity. *J. Appl. Polym. Sci.* **129**, 866–873 (2013).
44. Ran, J. *et al.* Characterization of nonwoven poly(ethylene terephthalate) devices functionalized with cationic polymer. *J. Appl. Polym. Sci.* **124**, 3583–3590 (2012).
45. Agarwal, G., Perwuelz, A., Koehl, L. & Lee, K. S. Interaction between the Surface Properties of the Textiles and the Deposition of Cationic Softener. *J. Surfactants Deterg.* **15**, 97–105 (2011).
46. Guo, L., Campagne, C., Perwuelz, A. & Leroux, F. Zeta Potential and Surface Physico-chemical Properties of Atmospheric Air-plasma-treated Polyester Fabrics. *Text. Res. J.* **79**, 1371–1377 (2009).
47. Saihi, D., El-Achari, A., Vroman, I. & Cazé, C. Graft copolymerization of methacryloyloxyethyl trimethyl ammonium chloride monomer onto polyamide 66 fibres. *J. Text. Apparel, Technol. Manag.* **4**, 1–8 (2004).

## Minerals-Geology

---

48. Falchi, L., Balliana, E., Izzo, F. C., Agostinetto, L. & Zendri, E. Distribution of nanosilica dispersions in Lecce stone. *Sci. Ca' Foscari* **1**, (2013).
49. Pham, T. D., Kobayashi, M. & Adachi, Y. Interfacial characterization of  $\alpha$ -alumina with small surface area by streaming potential and chromatography. *Colloids Surfaces A Physicochem. Eng. Asp.* **436**, 148–157 (2013).
50. Lin, S. *et al.* Deposition of Silver Nanoparticles in Geochemically Heterogeneous Porous Media: Predicting Affinity from Surface Composition Analysis. *Environ. Sci. Technol.* **45**, 5209–5215 (2011).
51. Sharma, A., Kawamoto, K., Moldrup, P., de Jonge, L. W. & Komatsu, T. Transport and Deposition of Variably Charged Soil Colloids in Saturated Porous Media. *Vadose Zo. J.* **10**, 1228–1241 (2011).
52. Marouf, R., Marouf-Khelifa, K., Schott, J. & Khelifa, A. Zeta potential study of thermally treated dolomite samples in electrolyte solutions. *Microporous Mesoporous Mater.* **122**, 99–104 (2009).
53. Mellouk, S. *et al.* Intercalation of halloysite from Djebel Debagh (Algeria) and adsorption of copper ions. *Appl. Clay Sci.* **44**, 230–236 (2009).
54. Aizawa, K., Uyeshima, M. & Nogami, K. Zeta potential estimation of volcanic rocks on 11 island arc-type volcanoes in Japan: Implication for the generation of local self-potential anomalies. *J. Geophys. Res.* **113**, B02201 (2008).
55. Revil, A., Naudet, V. & Meunier, J.-D. The hydroelectric problem of porous rocks: inversion of the position of the water table from self-potential data. *Geophys. J. Int.* **159**, 435–444 (2004).
56. Suski, B., Rizzo, E. & Revil, A. A Sandbox Experiment of Self-Potential Signals Associated with a Pumping Test. *Vadose Zo. J.* **3**, 1193–1199 (2004).